

# Connectors for Times Microwave LMR<sup>®</sup>-100 and Equivalent Cables Manufactured by RF Industries

LMR is a registered trademark of Times Microwave Systems.



| DESCRIPTION  | BODY | P/C | DIE | PART #         | FIG |
|--|------|-----|-----|----------------|-----|
| <b>DMC</b>   |      |     |     |                |     |
| DMC Plug Solder Crimp, Right-Angle with Press Cap              | N    | G   | T   | RDM-6310-B     | 1   |
| <b>1.0 / 2.3</b>   |      |     |     |                |     |
| 1.0/2.3 Male, Snap-on Plug, Crimp, Double Shield               |      |     |     | RF123-7000-B   | 2   |
| 1.0/2.3 Male, Slide-on Plug, Crimp, Double Shield              | N    | G   | T   | RF123-7001-B   | 3   |
| 1.0/2.3 Male, Screw-on Plug, Crimp, Double Shield              | N    | G   | T   | RF123-7002-B   | 4   |
| 1.0/2.3 Female, Slide-on Plug, Crimp, Double Shield            | G    | G   | T   | RF123-7050-1B  | 5   |
| 1.0/2.3 Female Bulkhead Jack, Crimp with D-flat, Double Shield | G    | G   | T   | RF123-7052-1B  | 6   |
| <b>TS-9MM</b>  |      |     |     |                |     |
| TS-9 Plug, Crimp   | N    | G   | T   | RF9-2200-B     | 7   |
| <b>BNC</b>   |      |     |     |                |     |
| BNC Male Solder Clamp  | N    | G   | T   | RFB-1100-B     | 8   |
| BNC Male Crimp Plug, Large Ferrule                             | N    | G   | T   | RFB-1106-5     | 9   |
| BNC Male Crimp Plug, Small Ferrule                             | N    | G   | T   | RFB-1106-6     | 10  |
| BNC Male Crimp Plug, Large Ferrule                             | S    | G   | T   | RFB-1106-B-ST  | 11  |
| BNC Male Right-Angle Crimp Plug                                | N    | G   | T   | RFB-1110-B     | 12  |
| BNC Female Crimp, Front Mount Bulkhead                         | N    | G   | T   | RFB-1116-B-03  | 13  |
| BNC Female Crimp Bulkhead, Max panel thickness .20"            | N    | G   | T   | RFB-1117-BT    | 14  |
| BNC Female Crimp Bulkhead, Max panel thickness .14"            | N    | G   | T   | RFB-1117-BT-03 | 14  |
| BNC Female Crimp Bulkhead, Short Ferrule and Ferrule Stud      | N    | G   | T   | RFB-1117-BT-04 | 15  |
| <b>FME</b>   |      |     |     |                |     |
| FME Male Crimp   | N    | G   | T   | RFE-6000-B     | 16  |
| <b>N</b>   |      |     |     |                |     |
| N Male Crimp   | N    | G   | T   | RFN-1005-B-03  | 17  |
| N Male Crimp Right-Angle, Square Body                          | N    | G   | T   | RFN-1009-B-03  | 18  |
| N Female Crimp, Rear Mount Bulkhead                            | N    | G   | T   | RFN-1022-8     | 19  |
| N Female Crimp   | S    | G   | T   | RFN-1027-B     | 20  |

PLATING: G=Gold, N=Nickel, S=Silver, SS=Stainless Steel, WB=White Bronze DIELECTRIC: B, DAP=Bakelite, D=Delrin, T=PTFE  
 RF Industries (NASDAQ: RFIL) (800) 233-1728 (858) 549-6340 Fax (858) 549-6345 rfi@rfindustries.com www.rfindustries.com



| DESCRIPTION   | BODY | P/C | DIE | PART #        | FIG |
|---|------|-----|-----|---------------|-----|
| <b>TNC</b>  |      |     |     |               |     |
| TNC Male Crimp  | N    | G   | T   | RFT-1202-3    | 21  |
| TNC Male Crimp  | WB   | G   | T   | RFT-1202-B-WB | 22  |
| TNC Female Crimp Bulkhead                                       | N    | G   | D   | RFT-1212-B    | 23  |
| <b>MINI UHF</b>   |      |     |     |               |     |
| Mini-UHF Male Crimp   | N    | G   | T   | RFU-600-3     | 24  |
| Mini-UHF Female Crimp   | N    | G   | T   | RFU-601-3     | 25  |
| <b>MC CARD</b>  |      |     |     |               |     |
| MC Card Right-Angle Plug  | N    | G   | T   | RMC-6010-B    | 26  |
| <b>MCX</b>  |      |     |     |               |     |
| MCX Male Crimp Plug   | G    | G   | T   | RMX-8000-1B   | 27  |
| MCX Male Crimp Plug   | N    | G   | T   | RMX-8000-B    | 28  |
| MCX Male Right-Angle Crimp Plug                                 | G    | G   | T   | RMX-8010-1B   | 29  |
| MCX Male Right-Angle Crimp Plug                                 | N    | G   | T   | RMX-8010-B    | 30  |
| MCX Jack Crimp  | N    | G   | T   | RMX-8100-B    | 31  |
| MCX Jack Crimp Bulkhead   | G    | G   | T   | RMX-8252-1B   | 32  |
| <b>MMCX</b>   |      |     |     |               |     |
| MMCX Male Crimp Plug, Double Shield                             | G    | G   | T   | RMX-9000-1B   | 33  |
| MMCX Male Right-Angle Crimp Plug                                | G    | G   | T   | RMX-9010-1B   | 34  |
| MMCX Female Crimp Jack  | G    | G   | T   | RMX-9050-1B   | 35  |
| MMCX Female Right-Angle Crimp Jack                              | G    | G   | T   | RMX-9060-1B   | 36  |
| <b>REVERSE POLARITY (GENDER) - FCC REG 15</b>                   |      |     |     |               |     |
| BNC Female Bulkhead, Jack, Reverse Polarity (Gender)            | N    | G   | T   | RP-1117-BT    | 37  |
| TNC Male Crimp Plug, Reverse Polarity (Gender)                  | N    | G   | T   | RP-1202-1B    | 38  |
| TNC Female Blkhd Crimp Jack, Rear Mt, Reverse Polarity (Gender) | N    | G   | T   | RP-1212-B     | 39  |
| SMA Male Crimp Plug, Reverse Polarity (Gender)                  | G    | G   | T   | RP-3000-1B    | 40  |
| SMA Male Crimp Plug, Reverse Polarity (Gender)                  | N    | G   | T   | RP-3000-B     | 41  |
| SMA Male Right-Angle Crimp Plug, Reverse Polarity (Gender)      | G    | G   | T   | RP-3010-1B    | 42  |
| SMA Female Crimp Jack, Reverse Polarity (Gender)                | G    | G   | T   | RP-3050-1B    | 43  |
| SMA Female Bulkhead Crimp, Reverse Polarity (Gender)            | G    | G   | T   | RP-3252-1B    | 44  |
| MMCX Crimp Plug, Reverse Polarity (Gender)                      | G    | G   | T   | RP-9000-1B    | 45  |
| MMCX Right-Angle Crimp Plug, Reverse Polarity (Gender)          | G    | G   | T   | RP-9010-1B    | 34  |



| DESCRIPTION   | BODY | P/C | DIE | PART #         | FIG |
|---|------|-----|-----|----------------|-----|
| <b>SMA</b>  |      |     |     |                |     |
| SMA Male 3-piece Crimp  | G    | G   | T   | RSA-3000-1B    | 46  |
| SMA Male 3-piece Crimp  | N    | G   | T   | RSA-3000-B     | 47  |
| SMA Male Right-Angle Crimp  | G    | G   | T   | RSA-3010-1B    | 48  |
| SMA Male Right-Angle Crimp, with Stainless Steel Housing                      | SS   | G   | T   | RSA-3010-1B-04 | 49  |
| SMA Male Right-Angle Crimp  | N    | G   | T   | RSA-3010-B     | 50  |
| SMA Male Right-Angle Crimp, Passivated, with Stainless Steel Body and Housing | SS   | G   | T   | RSA-3010-B-SS  | 50  |
| SMA Female Crimp  | G    | G   | T   | RSA-3050-1B    | 51  |
| SMA Female Crimp  | N    | G   | T   | RSA-3050-B     | 52  |
| SMA Male Right-Angle Solder Clamp, Double Shield                              | N    | G   | T   | RSA-3110-B     | 53  |
| SMA Female Bulkhead Crimp, Without Gasket                                     | G    | G   | T   | RSA-3252-1B    | 54  |
| SMA Female Bulkhead Crimp, Without Gasket                                     | N    | G   | T   | RSA-3252-B     | 55  |
| SMA Female Bulkhead Crimp, With Gasket  | N    | G   | T   | RSA-3252-B-03  | 56  |
| <b>50 OHM SMB</b>   |      |     |     |                |     |
| SMB Crimp Plug, Standard Grip   | G    | G   | T   | RSB-4000-1B    | 57  |
| SMB Crimp Plug, Standard Grip   | N    | G   | T   | RSB-4000-B-03  | 58  |
| SMB Right-Angle Crimp Plug  | G    | G   | T   | RSB-4010-1B    | 59  |
| SMB Right-Angle Crimp Plug, Press-Fit Cap                                     | G    | G   | T   | RSB-4010-1B-03 | 60  |
| SMB Right-Angle Crimp Plug  | N    | G   | T   | RSB-4010-B     | 61  |
| SMB Jack Crimp  | G    | G   | T   | RSB-4050-1B    | 62  |
| SMB Jack Crimp  | N    | G   | T   | RSB-4050-B     | 63  |
| SMB Jack Right-Angle Crimp  | G    | G   | T   | RSB-4055-1B    | 64  |
| SMB Clamp Plug  | N    | G   | T   | RSB-4100-B     | 65  |
| SMB Jack Crimp Bulkhead, Rear Mount with D-Flat                               | G    | G   | T   | RSB-4252-1B    | 66  |
| SMB Jack Crimp Bulkhead, Rear Mount with D-Flat                               | N    | G   | T   | RSB-4252-B     | 67  |
| <b>SSMB</b>   |      |     |     |                |     |
| SSMB Jack Right-Angle Crimp   | G    | G   | T   | RSB-750-1B     | 68  |
| <b>REVERSE THREAD - FCC REG 15</b>  |      |     |     |                |     |
| SMA Female Crimp, Left-Hand Thread  | G    | G   | T   | RT-3252-1B-04  | 69  |