

Connectors for Times Microwave LMR[®]-240 and Equivalent Cables Manufactured by RF Industries

LMR is a registered trademark of Times Microwave Systems.



DESCRIPTION	BODY	P/C	DIE	PART #	FIG
BNC					
BNC Male Solder Clamp	N	S	D	RFB-1101-1X	1
BNC Male Crimp Plug	N	G	D	RFB-1107-1X	2
BNC Female Crimp Socket	N	G	D	RFB-1124-1X	3
7/16 DIN					
7/16 DIN Male Crimp Plug Combo Straight or R/A	S	S	T	RFD-1605-2-X	4
7/16 DIN Female Crimp Jack Combo Straight or R/A	S	S	T	RFD-1630-2-X	5
FME					
FME Female Crimp Jack	N	G	T	RFE-6050-X	6
MHV					
High Voltage Male Crimp Plug	N	G	T	RHV-106-X	7
N					
N Male Solder Plug	S	G	T	RFN-1001-S	8
N Male Clamp Plug	S	G	T	RFN-1004-1SX	9
N Male Crimp, Solderless Center Conductor	N	G	T	RFN-1006-8X	10
N Male Crimp, Hex Shell, Solderless Center Conductor	N	G	T	RFN-1006-9X	11
N Male Crimp Plug	S	G	T	RFN-1007-2SX	12
N Male Crimp Plug	N	G	T	RFN-1007-X	12



FIG 13
RFN-1009-X-04



FIG 14
RFN-1009-9X-WB




FIG 15
RFN-1022-X



FIG 16
RFN-1026-1X



FIG 17
RFN-1029-SX



FIG 18
RFT-1201-1X



FIG 19
RFT-1203-1X
RT-1203-1X



FIG 20
RFT-1213-X



FIG 21
RFT-1217-X



FIG 22
RFT-1218-X



FIG 23
RFU-500
RFU-500-D
RFU-501
RFU-501-D



FIG 24
RFU-508-X



FIG 25
RFU-531, -S



FIG 26
RFU-600-1X



FIG 27
RFU-601-1X



FIG 28
RFU-601-4

DESCRIPTION	BODY	P/C	DIE	PART #	FIG
N Male Right Angle Crimp Plug	N	G	T	RFN-1009-X-04	13
N Male Right Angle Crimp with Hex Shell	WB	G	T	RFN-1009-9X-WB	14
N Female Bulkhead Rear Mount	N	G	T	RFN-1022-X	15
N Female Clamp Jack	S	G	T	RFN-1026-1X	16
N Female Crimp Jack	S	G	T	RFN-1029-SX	17
TNC					
TNC Male Clamp Plug	N	G	T	RFT-1201-1X	18
TNC Male Crimp Plug	N	G	D	RFT-1203-1X	19
TNC Female Crimp Rear Mount Bulkhead Jack	N	G	D	RFT-1213-X	20
TNC Female Crimp Jack	N	G	D	RFT-1217-X	21
TNC, Male Right Angle Crimp	N	G	T	RFT-1218-X	22
UHF					
UHF Male Solder Plug; PL-259; Use with RFU-531 Reducer	N	S	Dap	RFU-500	23
UHF Male Solder Plug; includes Reducer RFU-531	N	S	Dap	RFU-500-D	23
UHF Male Solder Plug; PL-259; Use with RFU-531-S Reducer	S	S	T	RFU-501	23
UHF, Male Solder Plug; includes Reducer RFU-531-S	S	S	T	RFU-501-D	23
UHF Male Crimp Plug	N	S	Dap	RFU-508-X	24
Reducer, Use with RFU-500	N			RFU-531	25
Reducer, Use with RFU-501	S			RFU-531-S	25
MINI-UHF					
Mini-UHF Male Crimp Plug	N	G	D	RFU-600-1X	26
Mini-UHF Female Crimp Jack	N	S	D	RFU-601-1X	27
M-UHF, Female Crimp	N	G	D	RFU-601-4	28

PLATING: G=Gold, N=Nickel, S=Silver, SS=Stainless Steel, WB=White Bronze DIELECTRIC: B, DAP=Bakelite, D=Delrin, T=PTFE
RF Industries (NASDAQ: RFIL) (800) 233-1728 (858) 549-6340 Fax (858) 549-6345 rfi@rfindustries.com www.rfindustries.com



FIG 29
RQA-5000-X




FIG 30
RQA-5010-X



FIG 31
RQA-5010-8X



FIG 32
RP-1202-X



FIG 33
RP-3000-1X



FIG 34
RSA-3000-X



FIG 35
RSA-3010-X



FIG 36
RSA-3050-X

DESCRIPTION	BODY	P/C	DIE	PART #	FIG
QMA					
QMA Plug, Crimp (Snap-Lock)	WB	G	T	RQA-5000-X	29
QMA Plug, Right Angle Crimp, (Snap-Lock)	WB	G	T	RQA-5010-X	30
QMA Plug, Right Angle Crimp, (Snap-Lock), Solderless	WB	G	T	RQA-5010-8X	31
REVERSE POLARITY (GENDER) - FCC REG 15					
TNC Male Crimp Plug, Reverse Polarity (Gender)	N	G	T	RP-1202-X	32
SMA Male Crimp Plug, Reverse Polarity (Gender)	N	G	T	RP-3000-1X	33
SMA					
SMA Male Crimp Plug	N	G	T	RSA-3000-X	34
SMA Male Right Angle Crimp Plug	N	G	T	RSA-3010-X	35
SMA Female Crimp Jack	N	G	T	RSA-3050-X	36
REVERSE THREAD - FCC REG 15					
TNC Reverse Thread Male Crimp Plug	N	G	T	RT-1203-1X	18