

Utilities and Energy

SCADA-Remote Monitoring-Smart Grid-Telemetry

Interconnect Solutions for a Connected World™

Utilities and Energy

RF Industries offers a wide range of RF components designed to meet the strict industry standards and requirements most utility companies face. We stock most components to provide rapid response and short lead times ensuring minimal downtime of your critical communications equipment.

Ruggedized RF Coax Connectors and RF Coax Assemblies for Harsh Environments

Need a fully weatherized connector that won't come loose or pull off? Our **Comp Pro**[®] Product Line utilizes a patented compression technology that offers revolutionary advantages for a water-tight connection, easy, one-minute installation, and improved system reliability on LMR®-400 and LMR®-600 cables.

The Patented 360-degree compression seals out moisture, dust and air, preventing water ingress, eliminating connector—related downtime and maintenance. With 2x the pin strength of standard connectors, Comp Pro® offers superior RF signal transmission and with the highest pull strength in the industry, these connectors remain secure under high vibration and provide reliable performance in the most strenuous conditions.

RF Coax Connectors and Assemblies

Looking for jumpers with specific connectors and length? We stock one of the largest selections of RF coax connectors in the U.S. From that inventory we can build custom RF coax assemblies using your choice of coax cable and connectors and lengths. From standard coax assemblies to outdoor rated assemblies with weatherproof boots, our quality is second-to-none and our standard lead time is days not weeks. Custom connector and cable configurations and lengths available including reverse polarity connectors.

LMR® Cable – the industry standard in high performance broadband, flexible, low loss 50 Ohm coaxial cables. Rugged UV, sunlight and weather resistant. 100% effective shielding. Variety of sizes and applications available.

RG-142/U – flexible 50 Ohm coax cable, double shielded with tan FEP jacket. PTFE Dielectric, 0.195" diameter.

RG-214/U – flexible 50 Ohm coax cable, double shielded with black PVC jacket. PE Dielectric, 0.425" diameter.

RG-393/U – flexible 50 Ohm coax cable, double shielded with tan FEP jacket. PTFE Dielectric, 0.39" diameter.

Adapters and Adapter Kits

Always seem to have the wrong jumper? Field technicians find themselves in this situation all too often. Our adapters and adapter kits eliminate this problem. Choose from standard coax adapter kits or let us customize a kit with the adapters that you most often use. Our Unidapt kits let your build the adapter you need right in the field.

RF Tools and Test Kits

We stock a wide variety of hand tools and kits for RF coax cable prep and connector installation. From high-quality cable cutters, crimpers and cable strippers to handheld cable testers, we stock all the necessary tools for field installation.

Network Cables – Copper and Fiber

From our ISO9001 production facility in Southern California, we build high-quality category cables and Corning Gold certified fiber optic patch cords. From Cat5e and Cat 6 jumpers to single and multimode fiber patch cords, we have a wide range of assemblies for you to choose from or we can custom build jumpers and patch cords to meet your specific requirements.

Comp Pro is a registered trademark of RF Industries. LMR is a registered trademark of Times Microwave Systems.

Comp Pro® Connectors & Assemblies

| Comp Pro® Cable Assemblies | Part Numbers | Features |
|--|--|--|
| Odile Assembles | RFW-12913-XX | N Male to N Male for LMR®-400 |
| | RFW-12934-XX | N Male to N Male for LMR®-400LLPL Plenum and Fire Retardant |
| | RFW-12935-XX | N Male to N Male for LMR®-400-DB Direct Burial Cable |
| | RFW-12936-XX | N Male to N Female for LMR®-400 |
| | RFW-12937-XX | N Male to N Female for LMR®-400-DB Direct Burial Cable |
| | RFW-12938-XX | 7/16 DIN Male to 7/16 DIN Male for LMR®-400 |
| | RFW-12939-XX | 7/16 DIN Male to 7/16 DIN Male for LMR®-400-DB Direct Burial Cable |
| | RFW-12969-XX | N Male to N Male for LMR®-600-DB Direct Burial Cable |
| | RFW-12970-XX | N Male to N Male for LMR®-600 |
| | Other Comp Pro Assemblies available. Contact Sales for more options. | |
| Comp Pro® Connectors | Part Numbers | Features |
| | COMP-DM-400 | 7/16 DIN Male Compression Connector for LMR®-400 |
| | COMP-NM-400 | N Male Compression Connector for LMR®-400 |
| | COMP-NM-400PL | N Male Compression Connector for LMR®-400LLPL |
| | COMP-NF-400 | N Female Compression Connector for LMR®-400 |
| | COMP-NRA-400 | N Male Right Angle Compression Connector for LMR®-400 |
| | COMP-TM-400 | TNC Male Compression Connector for LMR®-400 |
| | COMP-NM-600 | N Male Compression Connector for LMR®-600 |
| | Other Connectors may be | e available. Contact Sales for more options. |
| Comp Pro® Tools | Part Numbers | Features |
| | KIT400 | Tool Kit for Type N Compression Connectors, 400 size cable |
| | KIT600 | Tool Kit for Type N Compression Connectors, 600 size cable |
| Comp Pro° | RFA-4206-04 | Cable Cutter for 400 and 600 size cable |
| 600_235-732_ \$0-0-6-6-640 2vwysthausties.com | SDT400-50 | Stripping Prep Tool for 400 size cable |
| 4 | SDT600-50 | Stripping Prep Tool for 600 size cable |
| | IT50NM | Insertion Tool for N Connector - 400 & 600 size cable |
| | VT500 | Compression Tool for 400 size Cable |
| | VT600 | Compression Tool for 600 size cable |
| | TW1412 | Torque Wrench for N Connectors for 400 and 600 size cable |
| | Other Comp Pro® tools available. Contact Sales for more options. | |

Connectors, Adapters and Kits

| Connectors | Part Numbers | Features | |
|---------------------------------------|---|--|--|
| | RFN-1005-3C | N male connector for LMR 195; RG-58 cable | |
| | RFN-1005-3C1 | N male connector for RG-142/U | |
| | RFN-1006-I | N male connector for LMR-400 | |
| | RFN-1007-2SX | N male connector for LMR 240; RG-8X cable | |
| | RQA-5000-C1 | QMA male connector for RG-142/U cable | |
| | RQA-5000-C | QMA male Connector for LMR 195; RG-58 cable | |
| | RQA-5000-X | QMA male Connector for LMR 240; RG-8X cable | |
| | RFU-600-1C1 | Mini UHF Male connector for RG-142/U cable | |
| | RFU-600-1 | Mini UHF Male connector for LMR 195; RG-58 cable | |
| | RFU-600-1X | Minu UHF Male connector for LMR 240; RG-8X cable | |
| | RFD-1605-2-C1 | 7/16 DIN male connector for RG-142/U cable | |
| | RFD-1605-2-C | 7/16 DIN male connector for LMR 195; RG-58 cable | |
| | RFD-1630-2-X | 7/16 DIN male connector for LMR 240; RG-8X cable | |
| | RSA-3000-C | SMA male connector for LMR 195; RG-58/U | |
| | RSA-3000-C1 | SMA male connector for RG-142/U | |
| | RSA-3000-X | SMA male connector for LMR-240; RG-8X | |
| | RP-3000-1C | SMA male Reverse Polarity connector for LMR 195; RG-58 cable | |
| | Many other connectors a | Many other connectors available. Contact Sales for more options. | |
| Adapter Kits and Adapters | Part Numbers | Features | |
| | RFA-4011 | Mini-UHF Adapter Kit, 15-piece | |
| | RFA-4013 | 7/16 DIN Adapter Kit, 6-pieces | |
| | RFU-620 | Mini UHF male to N female adapter | |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | RFU-625 | Mini UHF female to N male adapter | |
| | RQA-5411 | QMA male to Mini UHF female | |
| | Many other adapters and adapter kits available. Contact Sales for more options. | | |
| Unidapt™ Adapter Kits | Part Numbers | Features | |
| | Why Unidapt™? Create any adapter you need in seconds! Each Unidapt fitting has a common connector end and a universal adapter end. Simply choose the two connector ends you need and screw them together with the universal adapter. | | |
| | RFA-4024 | 30-piece kit – BNC, N, SMA, TNC, UHF, Mini-UHF adapters | |
| | PT-4000-133 | Reverse Polarity SMA male Unidapt™ adapter | |
| | PT-4000-120 | 7/16 DIN female Unidapt™ – add-on to kit above | |
| | Other Unidapt™ kits and adapters available. Contact Sales for more options. | | |

Patch Cords and Assemblies

| | | |
|-----------------------------|---|---|
| Cat5e and Cat6 Patch Cables | Part Numbers | Features |
| | QERSRSKCBSQ-xxxF | Cat5E UTP 568B Outdoor Patch Cord Black |
| | QCRSRSKCBSQ-xxxF | Cat6 UTP 568B Outdoor Patch Cord Black |
| | XQ6-9001B-xxxF | Cat6 STP 568B 600v OSP Industrial Hi Flex Patch Cord Black |
| | XQF-9002B-xxxF | Cat6A STP 568B 600v OSP Industrial Hi Flex Patch Cord Black |
| | QER5R5U-xxxF | Cat5E UTP 568B CMR Patch Cord Blue |
| | QTR4R4UKBSU-xxxF | Cat6 F/UTP Shielded CMR Patch Cord Slim Boots Blue |
| vedit | Other Category and Copper Patch cables available. Contact Sales for more options. | |
| Fiber Patch Cords | Part Numbers | Features |
| | SUR002LCLCRXXPX-xxxM | LC/LC x2-fiber SM UPC OFNR Indoor/Outdoor Fiber Jumper Black |
| | JPR002LCLCRXXPX-xxxM | LC/LC x2-fiber OM3 UPC OFNR Indoor/Outdoor Fiber Jumper Black |
| | HPR002LCLCRXXPX-xxxM | LC/LC x2-fiber OM4 UPC OFNR Indoor/Outdoor Fiber Jumper Black |
| | SAOD12SBSBIRPSX-xxxF | SC/SC x12-fiber SM OSP 900 Breakout Report w/Pull Eye |
| | JPPA24LBLBFXXPX-xxxF | LC/LC x24-fiber OM3 OFCP Indoor Armored 2mm Breakout |
| | Other Kits available. Contact Sales for more options. | |
| LMR®-195 Assemblies | Part Numbers | Features |
| | RFW-12559-xx | N male to N male, LMR-195 cable assembly |
| HHIVE: | RFW-5966-xx | 7/16 DIN male to 7/16 DIN male, LMR-195 cable assembly |
| | RFW-12767-xx | QMA male to QMA male, LMR-195 cable assembly |
| | RFW-9442-xx | SMA male to SMA male, LMR-195 cable assembly |
| | RFW-13619-xx | QMA male to N male, LMR-195 cable assembly |
| | RFW-13406-xx | SMA male to QMA male, LMR-195 cable assembly |
| | RFW-13399-xx | Mini UHF male to QMA male, LMR-195 cable assembly |
| | RFW-13129-xx | N male to SMA male, LMR-195 cable assembly |
| | RFW-11131-xx | Reverse Polarity SMA male to N male, LMR-195 cable assembly |
| | Many other cable assemblies and variations are available. Custom lengths available. xx = custom length. Contact Sales for more options. | |
| LMR®-240 Assemblies | Part Numbers | Features |
| | RFW-5586-xx | N male to N male, LMR-240 cable assembly |
| | RFW-7699-xx | 7/16 DIN male to 7/16 DIN male, LMR-240 cable assembly |
| | RFW-12474-xx | QMA male to QMA male, LMR-240 cable assembly |
| | RFW-5785-xx | SMA male to SMA male, LMR-240 cable assembly |
| | RFW-12555-xx | QMA male to N male, LMR-240 cable assembly |
| | RFW-12367-xx | SMA male to QMA male, LMR-240 cable assembly |
| | RFW-13775-xx | Mini UHF male to QMA male, LMR-240 cable assembly |
| | RFW-5835-xx | N male to SMA male, LMR-240 cable assembly |
| | | I es and variations are available. Custom lengths available. |
| | xx = custom length. Contac | t Sales for more options. |

LMR is a registered trademark of Times Microwave Systems.

Cable Assemblies

| LMR®-400 Assemblies | Part Numbers | Features | |
|--|--------------|---|--|
| | RFW-5580-xx | N male to N male, LMR-400 cable assembly | |
| | RFW-5609-xx | N male to N male Right Angle, LMR-400 cable assembly | |
| | RFW-5628-xx | N male to N female, LMR-400 cable assembly | |
| | RFW-5975-xx | N male to 7/16 DIN male, LMR-400 cable assembly | |
| | RFW-7898-xx | 7/16 DIN male to SMA male, LMR-400 cable assembly | |
| | RFW-5964-xx | 7/16 DIN male to 7/16 DIN male, LMR-400 cable assembly | |
| | RFW-11661-xx | SMA male to N male, LMR-400 cable assembly | |
| VOICESCATED | RFW-5012-xx | SMA male to SMA male, LMR-400 cable assembly | |
| | RFW-1919-xx | SMA male to N male Right Angle, LMR-400 cable assembly | |
| LMR®-600 Assemblies | Part Numbers | Features | |
| 475654555 | RFW-5588-xx | N male to N male, LMR-600 cable assembly | |
| - Constitution | RFW-5642-xx | N male to N female, LMR-600 cable assembly | |
| | RFW-7209-xx | 7/16 DIN male to 7/16 DIN male, LMR-600 cable assembly | |
| | RFW-7255-xx | 7/16 DIN male to N male, LMR-600 cable assembly | |
| RG-142/U Assemblies | Part Numbers | Features | |
| | RFW-5573-xx | N male to N male, RG-142/U cable assembly | |
| | RFW-12929-xx | N male to QMA male, RG-142/U cable assembly | |
| | RFW-12975-xx | N male to Mini UHF, RG-142/U cable assembly | |
| | RFW-13125-xx | 7/16 DIN male to QMA male, RG-142/U cable assembly | |
| | RFW-5978-xx | 7/16 DIN male to SMA male, RG-142/U cable assembly | |
| | RFW-13420-xx | Mini UHF male to N male, RG-142/U cable assembly | |
| | RFW-5271-xx | Mini UHF male to SMA male, RG-142/U cable assembly | |
| | RFW-12930-xx | QMA male to QMA male, RG-142/U cable assembly | |
| RG-214/U Assemblies | Part Numbers | Features | |
| | RFW-5128-xx | N male to N male, RG-214/U cable assembly | |
| | RFW-12240-xx | N male to N male Right Angle, RG-214/U cable assembly | |
| | RFW-12364-xx | N male Right Angle to N male Right Angle, RG-214/U cable assembly | |
| | RFW-11815-xx | N female to N male, RG-214/U cable assembly | |
| | RFW-12321-xx | N female to N female, RG-214/U cable assembly | |
| | RFW-11668-xx | 7/16 DIN male to N male, RG-214/U cable assembly | |
| | RFW-12813-xx | 7/16 DIN male to N female, RG-214/U cable assembly | |
| Custom lengths available. xx = custom length. | | | |
| Many other cable and connector combinations available. Contact sales for more options and information. | | | |

Cable Assemblies

| RG-393/U Assemblies | Part Numbers | Features |
|------------------------------|---|---|
| | RFW-5171-xx | N male to N male, RG-393/U cable assembly |
| | RFW-5142-xx | N male to N male Right Angle, RG-393/U cable assembly |
| | RFW-5149-xx | N male to N female, RG-393/U cable assembly |
| | RFW-12599-xx | 7/16 DIN male to 7/16 DIN male, RG-393/U cable assembly |
| | RFW-11488-xx | 7/16 DIN male to N male, RG-393/U cable assembly |
| | Many other cable assemblies and variations are available. Custom lengths available. xx = custom length. Contact Sales for more options. | |
| Cat 5e/ Cat 6 Installation | Part Numbers | Features |
| | RFA-4219 | CAT5 Cable Assembly kit |
| | RFA-4220 | CAT 5 Cable Assembly & Test Kit |
| | RFA-4218-20 | CAT 5/6 Cable Tester |
| | RFA-4202 | RJ-45 3-in-1 tool. Cutting, Stripping and Crimping |
| | RFA-4210 | Impact Punchdown tool |
| | RJ45-8P8C-1K | RJ45 Plug, 8 Pins, FCC standard, UL942v-2 Flame Grade |
| | RJ45-BOOT-BK1K | RJ45 Boot, vinyl, black |
| Coax Installation Kits | Part Numbers | Features |
| | RFA-4009-200 | Deluxe Coax Crimp Kit – steel piston ratcheting crimp tool, 5 dies |
| | RFA-4009 | Basic Coax Crimp Kit – steel piston ratcheting crimp tool, 2 dies |
| | RFA-4511 | N connector installation kit for LMR-400 |
| | RFA-4005-520 | Economy Coax Crimp Kit – ratcheting handle, 10 die sets |
| | RFA-4006-500 | Commercial grade crimping tool and die kit. RG-174/U to LMR-400 |
| 00000 | RFA-4017 | Coax cable testing kit – includes Coaxial cable tester |
| | RFA-4018 | Unidapt coaxial cable testing kit – incl Unidapt cable tester |
| | RFA-4017-01 | Coaxial Cable Tester |
| | RFA-4018-20 | Unidapt Coaxial Cable Tester |
| | Other Kits available. Contact Sales for more options. | |
| Coax Installation Hand Tools | Part Numbers | Features |
| | RFA-4009-20 | Professional Grade Crimp Tool – steel piston ratcheting |
| | RFA-4087 | Coax stripping tool with adjustable blades |
| | RFA-4400 | Cable stripper for LMR-400 size cable |
| | RFA-4420 | Cable Devil – coax cable prep tool |
| | RFA-4080 or RFA-4081 | Stainless steel, 6-piece, pliers kit – serrated jaws or smooth jaws |
| | RFA-4206 | Cable Cutter – cuts up to 1 AWG copper and aluminum cable |
| | RFA-4080-1 | Side Cutter – stainless steel, 4 ½" long |
| | RFA-4080-4 | Flat Long Nose pliers, serrated jaws, 5' long |
| | Many other cable connect | or and tool combinations available. Contact Sales for more options. |

Design - Production - Inventory

We have production and warehouse facilities on both coasts of the United States along with a network of distributors throughout North America and Europe to deliver finished products guickly.

Quality Policy Statement

We are committed to maintaining excellent product quality. It is our goal to continuously improve the quality of our products to better satisfy the needs and expectations of our customers. We are also committed to delivering products that completely suit customer requirements on time, every time, and defect-free.

Certifications / Registrations

Corning Gold House ISO 9001:2015 Underwriters Laboratory Recognized Telcordia GR-326 Issue 4



*CAH Connections and Extended Warranty are service marks of Corning Cable Systems Brands, Inc.

Corning Gold

C Enterprises and Cables Unlimited are part of an elite group of cable assembly houses (CAHs) that meet the high standards for eligibility in the Corning Cable Systems CAH Connections[™] Gold Program for optical patch cord manufacturers.

Corning Extended Warranty Program

As members of the CAH Connections Gold Program, C Enterprises and Cables Unlimited are divisions of RF Industries, that offer a Corning Cable Systems 25-year Extended Warranty[™] coverage for single and 2 fiber patch cords manufactured by and installed by a certified NPI member.

Shipping

Our experienced staff employs best-practice packaging and shipping methods. We manage weight and dimensions to ensure the lowest shipping costs with our quick-ship capabilities.





Interconnect Solutions for a Connected World[™]











RF Industries 7610 Miramar Road, San Diego, CA 92126 Phone: 858-549-6340 Toll Free: 800-233-1728

Fax: 858-549-6345 email: rfi@rfindustries.com web: www.rfindustries.com



